GENETICS

A PERIODICAL RECORD OF INVESTIGATIONS
BEARING ON HEREDITY AND
VARIATION

VOLUME 15 - 1930

WITH SEVEN PLATES AND SIXTY-SEVEN TEXT FIGURES

Published by the
Brooklyn Botanic Garden
Brooklyn, New York
U. S. A.

INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Names in lists of "Literature cited" are not included.

AASE, H. C., 55, 75
Aegilops, 55, 112
  cylindrica, 75
  speltoides, 112
AGOL, I. I., 512
AIDA, TATUO, 1
ALBERTS, H. W., 81
Allelomorphism, multiple, 512, 568, 569, 571
Allelomorphs, multiple, **507**, 520, 552, 574
ALLEN, C. E., **150**–156, 159–161, 163–165, 169, 173–175, 177, 180, 181
ALLEN, GRACE, 427
ALTENBURG, E., 240, **283**, 498, 500
ALTSHULER, V. E., 512
American Medical Association, 401, 402, 419
AMMANN, E., 418, 428
ANDERSON, E. G., 205, 207, 208, 239, 240, 244–246, 248, 250, 331, 501
Angiosperms, matrocliny in, 172
Antirrhinum, 540
Aplocheilus, 12, 14
  Anchylosis, 14
  Chromosomes, 2
  Crossing over, 2
  Dwarf, 14
  latipes, 13, 16
    Color varieties of, 1
      Red, 1–12, 14
      White, 1–12, 14
    Color varieties of, sex-linked, 1
    Further genetical studies of, 1
  New mutants
    Fused, 14–16
    Wavy, 14–16
  Non-disjunction, 4
  Secondary non-disjunction, 12
  Transfer of gene, 2
Apomixis, Oenothera, 180
AVERY, PRISCILLA, 136

BAAR, H., 407, 409
BABCOCK, E. B., 81, 114–116, 131, 133, 137, 138
BACKHOUSE, W. O., 138
BALMUKAND, BHAI, 82–84, 88, 93
Barley, 198, 203
BARTLETT, H. H., 61
BATESON, W., 81
BAUR, E., 540
BELL, JULIA, 405, 406, 418, 428
BELL, M. A., 253
BELLING, J., 55, 73, 74, 205, 286, 418
BESSMERTNAYA, S. J., 336
BIERICH, 407
BLAKESLEE, A. F., 55, 73, 74, 78, 286, 297, 418
BLEIER, H., 111
BOL, C. J. A. C., 312
Bombyx mori
  Cross-breeding, 198
  Embryo, influence of the nutrients upon, **199**, 200, 202, 203
  Embryo, influence of the ooplasm upon, **199** 200, 202, 203
  Heterosis, 202, 203
  Hybrid, 200, 202
  Hybrid vigor, 202
  Hybridization, 190, **200**, 202, 203
  Hybridization, vigor resulting from, **200**, 202, 203
  Inbreeding, 191, 198, 200, 202, 203
  Maintenance of vigor, 200
  Ovarian transplantation, 200, 202
  Somatic cells, 195, 198, 202
  Vigor, **189**, 190, 197, **200**, 202, 203
  Voltinism, alternation, 189, 190, 195, 199
  Voltinism, inheritance, 189
BORDET, JULES, 408, 409
Bouin's fluid, 62
Brassica, 77
BRIDGES, C. B., 11, 14, 81, 83, 139, 181, 205–208, 237, 239–242, 244–250, 283, 293, 300, 334, 347–349, 355–357, 365, 367, 368, 372, 382, 389, 507, 515, 524, 526, 532, 540, 559
BRUCE, A. B., 19
BRUNSON, A. N., 81, 270
BÜRKER, 407
BULLOCK, W., 410
Bursa, 491
Bussey Institution, 17, 23–25

California Institute of Technology, **347**, 349
CAMERON, D. R., 99, 100, 108
CAMPBELL, 508
Carassius auratus, 16
Carnegie Institution of Washington, 401
CASTLE, W. E., 20, 81, 200, 330, 341, 342
Chelsea Botanical Garden, 134
Chickens, henny-feathering in, 334
CHIPMAN, R. H., 55, 74
CHISHOLM, A. T., 463
Chosen Government Agricultural Experiment Station, 198
CHRISTIE, W., 312, 337
Chromatin, evidence concerning the duality of the X-ray effect on, 498
Chromosome abnormalities, 498, 504, 506
CLAUSEN, R. E., 55, 74, 81, 137

CLELAND, R. E., 56, 62, 63, 180
Cleveland City Hospital, 425
COLE, L. J., 312–314, 319–321, 324, 327, 338, 340
COLLINS, G. N., 81, 83, 262, 271
COLLINS, J. L., 114–116, 129–131, 133
Color-blindness, **402,** 403, 405, 406, 419, 421–423, 426–428, 432
  Anatomical basis of red-green, 405
  Blue-green, 423
  Inheritance of red-green, 405
Columba livia, 312, 328
Columbia University, 205, 559
Compositae, Cichorieae, 115
CONKLIN, E. G., 190
Connecticut Agricultural Experiment Station, 463
COOPER, G. O., 151
Copenhagen Botanical Garden, 116, 134, 135
Coprinus lagopus, 181
Correlation between the sex of children of the same family, equivalent probability intra-class, 453
Correlation between the sex of human siblings, **445,** 448
Correlation between the sex of two consecutive children of the same mother, 452
CORRENS, C., 492
Crepis, 115, 140
  Achenes, 115–119, 121–125, 130, 134
  bursifolia, 136
  capillaris, 55, 114–131, 134, 135, 138, 139
    Chlorina character, 130
    Crane strain, 129, 130
    D strain, 129, 130
    X strain, 129, 130
  Heterozygosity, 114
  Hybrid, interspecific, **114,** 117, 118, 137, 139, 140
  Hybrid, interspecific, a lethal factor effective only in, 114
  Hybrids, 114, 117, 118, 120–122, 124, 126–**135**–137, 139, 140
  Hybrids between tectorum and other species, 135
  Interspecific hybrid, a lethal factor effective only in, 114
  leontodontoides, 136
  Lethal factor, **114,** 117–120, 122, 124, 127, 129, 130, 134–140
  setosa, 136, 139
  taraxacifolia, 136, 139
  tectorum, 55, **114**–117–131, **134, 135**–140
Crosses in wheat, shrivelled endosperm in species, 99
Crosses of apparent reverse mutants derived from treated larvae, 574
Crossing over in man, 426
CUTLER, 428
Cyprinus carpio, 16
Cytology of a haploid sport from *Oenothera franciscana*, 55
DANFORTH, C. H., 403
DARWIN, CHARLES, 18, 188, 200
Datura, 55, 73, 74, 76, 78, 286, 418
  ferox, 55
    Segmental interchange, 286, 297
  stramonium, 55
DAVENPORT, C. B., 18, **401**
DAVIS, 425
DAVIS, B. M., 55
DE VRIES, HUGO, 61
DEMEREC, M., 331, 491, 492, 559
Deuteranomals, 403–405
Deuteranopia, 403
Deuteranops, 403–405
Diabetic nerve atrophy, 412
DOBZHANSKY, T., 245, 247–250, **347,** 349, 366
DÖRR family, 432
DÖRR, H., 427
Dominance, 18–20, 22
Dominion Rust Research Laboratory, 114
Dormancy in maize, inheritance of, 462
DREXEL, K. T., 414
Drosophila, 4, 11, 12, 139, 205, 240, 242, 248, **283,** 285, 291, 297, 301, 303, 307, 342, 343, 360, 385, 387, 429, 430, 492, 507, 510, 515, 519, 530, 557, 559, 563, 568
  Allelomorphism, multiple, 512, 568, 569, 571
  Allelomorphs, multiple, 520, 532, 552, 574
  Allelomorphs, production of multiple, 507
  Chromosomal aberrations, 347
  Chromosome abnormalities, 568
  Chromosome, experiments involving the fourth, 292
  Chromosome, non-Bar, 537
  Crosses of apparent reverse mutants derived from treated larvae, 574
  Crossing over, 284, 287–289, 292
  Deficiency of section of chromosome, 347, 374
  Duplication, 347, 348, 374
  Duplication of locus, 499
  Effect of translocations when homozygous, **298,** 300, 309, 310
  Egg size inheritance, 492
  Entire chromosome not eliminated by X-rays, 141, 142
    Theta test, 144–147, 149
    White-lozenge test, 143
  Eye color, reverse mutations in, 566
  Forked, mutations from induced non-forked to, 559
  Forked, radiation as the cause of the reverse mutations of, 557
  Forked, reverse mutation, 540
  Frequency of gene mutations, **301,** 307
  Frequency of translocations, **283, 286,** 288, 290, **295**–298, **301,** 303, 307–309
  Frequency of translocations as compared with that of gene mutations, **301,** 307
  Frequency of translocations produced by X-rays, 283
  Gene mutations, 141, 143, 149

Drosophila (Continued)
Genes
Apricot, 508, 509, 513–515, 532, 566
Arc, 292, 529
Aristopedia, 528
Bar eye, 299, 499, 502, 504, 508, 510, 525, 529, 537, 554–556, 559, 561, 562, 567, 574, 575
Beaded, 350
Bent, 356
Bobbed, 508–510, 543
Bristle, 349
Claret, 292, 357, 371, 383, 387
Crossveinless, 568
Curled, 357, 383, 387
Curly wing, 286–289, 292, 521, 527–529
Deformed, 380
Dichaete, 286, 287, 349, 352–354, 356, 357, 365, 375, 376, 387
Diminished, 367
Diplo-IV, 379
Dominant eyeless, 572
Dumpy, 512
Ebony, 290, 348, 527
Echinus, 568
Eosin, 382, 507–509, 513, 514, 532, 568
Eye color, 566
Eyeless, 292, 350, 352, 353, 521
Forked, 350, 502, 508–510, 519, 520, 531, 536, **540–545–549**, 551–**557**, **559**–569, 571–575
Garnet, 549, 574
Gray body color, 144, 146, 147
Hairy, 290, 357, 527, 529, 568
Haplo-IV, 367, 378
Ivory, 509
Lopped, 512
Lozenge, 572
Maroon, 540
Minute, 350
Minute-IV, 356, 379
Minute-g, 371
Mottled eyes, 509
Mottled-1, 528
Non-bar, 499, 543, 562
Non-claret, 380
Non-Curly, 522
Non-eyeless, 352, 354
Non-forked, 541, 542, 545, 548, 549, 551–553, 555, 557, **559**, 560, 562–567, 573, 574
Non-roughoid, 528
Non-scute, 510, 532, 537–540, 572
Non-singed, 148
Non-Star, 522
Non-yellow, 540
Oblique, 512
Peach, 365, 366, 383, 387, 390
Pink, 290, 527, 568
Plexus, 292, 348
Purple, 540
Red, 509, 529, 530, 545, 546, 551, 563, 566
Rotated abdomen, 356, 523

Drosophila (Continued)
Genes (Continued)
Rough, 292
Roughoid, 290, 357, 383, 388, 527–529
Rudimentary wing, 499
Scarlet eye, 290, 357, 383, 387, 527, 528
Scute, 502, 508, 510–512, 514, 519, 520, **532**, 533, 537–540, 543, 549, 551, **567**–569, 571, 574
Scutex, 511, 512, 514, 519
Shaven, 356
Singed, 145, 147, 509, 549
Small eye, 510
Small wing, 539
Sooty, 292, 357, 388, 568
Speck, 292, 348
Spectacled, 542–544, 559
Spineless, 290, 527–529
Star eye, 286–288, 521, 528
Stripe, 292, 357
Tan, 539
Thoraxate, 512
Thread, 357, 387
Tinged, 532, 544, 545, 548, 549, 552, 554–557, 560, 561, 564–657, 572–575
Triplo-IV, 379, 380
Truncate, 512
Vermillion eyes, 502, 508, 509, 531, 536, 543, 549, 567, 568
Vortex, 512
White, 145, 147, 499, 507–509, 513–515, 519, 520, 528–532, 544–546, 549, 551, 561, 566, 568, 571, 572, 574
Wild type, 352–354, 356, 376, 377, 379, 381
Yellow, 144–147, 350, 509, 510, 521, 522, 538, 540, 542, 548, 560, 562, 566, 567
Hybrids, *simulans* and *melanogaster*, 381
Hypertrophy of the sex combs, 522
immigrans, 383
Induced mutation visibly different from a known loss of the same locus, 521
Inheritance, 284, 289
Inheritance of egg size, 492
Inversion, 347, 500, 501
Larvae, crosses of reverse mutants, 574
Lethals, 299, 301
Linkage of genes, 348, 349, 352, 353, 356, 367, 368, 373, 383, 385, 390
Loci of the reverse mutations, tests of the, 554
melanogaster, 11, 14, 141, 250, **347**, 349, 356, 361, 367–369, 372, 381, 383, 384, 387, 390, 391
Behavior of the translocations in homozygous form, 380
Breakage of the third chromosome in translocations, genetical consequences of, 373
Cell size, **248**, 249, 251
Chromosome breakages, 141–145, 149
Chromosome, crosses in which one third was marked, 219

Drosophila (Continued)
melanogaster (Continued)
Chromosome, red-bearing, 141, 142
Chromosomes, crosses in which the three third were marked, 207
Correction curves and maps, 241
Crosses, third chromosomes marked, 207, 219
Crossing over, **205**–208, 219, 220, 222, 223, 235, 237, 239–242, 244, 246–**248**–251, 353, 354, 356, **357**–361, 365, 366, 371, 375, 384, 385, 389–391
Crossing over in the third chromosome, 357
Crossing over in the third chromosome of triploids, 205
Crossover percentages, 244
Crossovers, double, **243**, 244
Crossovers, recurrent and progressive double, 243
Curves, correction, **241**, 242
Diploid, 206–210, 219, 222, 223, 235, 237–242, 244, 245, 248–251
Eye character
Carnation, 144
Dark-eosin, 142, 143
Eosin, 142, 143
Light-eosin, 142, 143
Lozenge, 143, 144
Red, 141, 143, 144, 145, 147
White, 141–144, 147
Linkage group, behavior of genes, 356
Linkage group, third chromosome, 384, 391
Maps, correction, 241
Mutants, third chromosome
Bithorax, 208
Claret, 208, 220
Curled, 208, 220, 245, 247
Dichaete, 208, 209, 219
Hairless, 208, 209
Hairy, 208, 220, 245, 247
Maroon, 208, 209
Minute, 208, 209
Minute-h, 208, 209
Peach, 245
Pink, 247
Roughoid, 220, 245, 247
Scarlet, 220, 245, 247
Sepia, 208, 209, 219
Sooty, 208, 220
Stripe, 220
Stubble, 208, 209
Thread, 220, 245, 247
Non-disjunction of the fourth chromosomes in the translocations, 378
Recombination percentages, 242
Recombination values, **223**, 239
Somatic cells, 141, 142, 149
Spindle-fibre attachment, 206, 239, 240, **245**–247, 250, 361, 365, 366, 370, 372, 383, 389, 390
Translocations, 240, 247
Drosophila (Continued)
melanogaster (Continued)
Translocations (Continued)
Behavior of in homozygous form, 380
Behavior of the genes of the fourth linkage group, 356
Crossing over in the third chromosome involved in the, 357
Cytological changes produced by the, 366
Genetical consequences of the breakage of the third chromosome in the, 373
Involving the third and the fourth chromosomes, 347
Non-disjunction of the fourth chromosomes, 378
Origin of, 349
Triploid, **205**–210, 220, 222, 223, 235, 237–242, 244–251
Triploids of, crossing over in the third chromosomes of, 205
Triploidy, 206, 238, 239
Mutant
Apricot, 571, 572
Bent wings, 522–524
Deformed, 522
Dominant eyeless, 523, 526
Eosin, 571
Eyeless, 522, 523, 525
Forked, 571
Ivory, 571
Lozenge eye, 543
Notch-wing, 528
Peach eye, 522
Scute, **567**, 571, 572
Scutex, 571
Shaven, 523
Spectacled eye, 572
Very weakly forked, 571
Weakly forked, 571
White, 571
Mutants derived from treated larvae, 574
Mutation at the locus of forked, 540
Mutations
At the locus of scute, 532
From induced non-forked to forked, 559
From treated larval stages, reverse, **546**, 573
In opposite directions, 526
Induced in spermatozoa, reverse, 551
Of forked by X-rays, 545
Of forked, radiation as the cause of the reverse, 557
Progressive, 574
Reverse, 529, 531, **532**, 537, **540**, 541, **545**, **546**, 548–**551**–**554**, 555, **557**–560, **564**–**566**–568, 570, 572–**574**, **575**
Reverse, in eye color, 566
Tests of the loci of the reverse, 554
Viability of induced, 564
Non-disjunction, 347, 367, 371, 374–**378**, 379, 385, 390
Polyploidy, 347

Drosophila (Continued)
Radiation as the cause of the reverse mutations of forked, 557
Scute mutations, 567
simulans, 381
Somatic mutations, 342, 343
Apricot eye to near red, 342
Eosin to red, 343
White to red, 343
Somatic variations, 141
Sterility, 290, 298
Theca, 292
Thread, 292
Translocation, **142**, 283–**295**, 296, 298, 300–303, 307–309, **347**–349, 351–355, **357**–361, 365–375, 377, **378**–**380**–388, 390, 391, 500, 501, 508, 525, 528, 569
Of locus, 499
Pale, 348, 349, 368, 382
Translocations
Effect of when homozygous, **298**, 300, 309, 310
Produced by X-rays, 283
Truncate wings, 293
Viability of the induced reverse mutations, 564
virilis, 559
Wild-type, 543, 575
X-rays, 141
Frequency of translocations produced by, 283
Induction of reverse mutations of forked by, 545
DUBININ, N. P., 348, 498, 512

EAST, E. M., 20–22, 112, 200, 331, 490
EATON, O. N., 343
Eckendorfer, 198
ELDERTON, W. PALIN, 446
EMERSON, R. A., 21, 81, 83, 84, 262, 270, 271, 273, 331
Emmer, 100–104, 107, 108, 112, 113
Endosperm, shrivelled, in species crosses in wheat, 99
Eucrepis, 115
Eye color, reverse mutations in, 566
EYSTER, W. H., 331, 462

Family histories, need of repository, 431
FILDES, P., 410
Fish (See Aplocheilus)
FISHER, R. A., 81–84, 88, 93, 446
FLEISCHER, B., 413
Flemming's fixing fluid, 62, 366
FLOYD, E. F., 429
Forked, mutations from induced non-forked, 559
Forked, radiation as the cause of reverse mutations, 557
Forked, reverse mutation, 540
FROST, H. B., 55
FULTON, 316

GABRITSCHEVSKY, E., 248
GAINES, E. F., 55, 75, 138
GALTON, 569
Galton and Mendel Memorial Fund, 81, 114, 205, 253, 347, 445, 462
GARBER, R. J., 22
GATES, R. R., 56
GEISSLER, ARTHUR, 446, 449, 450, 452
Gene, theory of, 523
Genetic effects of X-rays, 501
Genetics of a haploid sport from *Oenothera franciscana*, 55
GINSBERG family, 414
GOLDSCHMIDT, R., 569
GOODALL, A. A., 315
GOODSPEED, T. H., 55, 74
GOULD, G. M., 415, 416
GOULDEN, C. H., 139
GOWEN, J. W., 205
GOWERS, W. R., 419, 432
GREEN, C. V., 401, 419, 423, 425, 426
GROSS, SIMON, 427
Guinea pigs, 321, 343
GUNSTAD, BORGHILD, **445**, 447, 449, 450, 452
GUTHRIE, 189

HABERLANDT, G., 55, 56
Haemophilia, 402, **407**–**409**, 410, 419–428, 430, 432
Haemophilia, cause of, 409
Haemophilia, pedigrees, 419
A-family, 421
B-family, 424
CAR family, 425
G-O family, 424
GROSS family, **422**, 426, 427, 432
M-family, 421
MOLYNEUX family, 420–422, 424
NAR family, 426
NOR family, 425
P-family, 421
POL family, 425
R-family, 420
HAIG-THOMAS, ROSE, 56
HALDANE, J. B. S., 82, 83, 86
HANCOCK, W. I., 416, 417
HANEY, C. W., 114, 115
Hanson Brothers' spring scale, 25
HANSON, F. B., 303, 498, 515, 529, 553
Haploid sport from *Oenothera franciscana*, 55
HARRIS, B. B., 302, 303, 499, 545, 553
HARRIS, J. A., 445, 447, 449, 450, 452
HAYES, H. K., 20, 22
HECKTOEN, LUDVIG, 401
Hemerolopia, 418, 432
Heterosynapsis, 13, 14
Heterozygosity, 18–22
HEYS, F., 498, 515, 553
Hieracia, 77
Hieracium lacerum, 77
Hieracium laevigatum, 77
HIRSCH, J., 415
HOLBERT, J. R., 465

HOLLINGSHEAD, LILLIAN, 55, **114**, 116, 138
Holmgren's wools, 406
Homo, 429
Homosynapsis, 13, 14
Homozygosis, 22
HOR, K. S., 81
HORLACHER, W. R., **312**, 343
Hormones, *Oenothera Lamarckiana*, 56
HOWELL, W. H., 408, 409, 419
Human genetics, 431
Human siblings, correlation between sex, **445**, 448
HUMBERT, E. P., 313
Hybrid vigor, 19
  Hypotheses advanced as an explanation of, 17, 22
  In *Bombyx mori*, 202
Hypoplasia of white brain substance, Pelizaeus-Merzbacher disease, 402, 418, 432

IBSEN, H. L., 321
IMMER, F. R., 81
Inheritance
  Interactions and linkage relations of genes causing yellow seedlings in maize, 253
  Of dormancy in maize, 462
  Of optic nerve atrophy, 417
  Of premature germination in maize, **462**, 468
  Of red-green color-blindness, 405
  Rules of
    LOSSEN, 410, 413, 415
    NASSE, 410, 413, 415
Interactions of genes causing yellow seedlings in maize, 253
Intoxication nerve atrophy, 412
Iowa Agricultural Experiment Station, 253
Iowa State College, 253
Ishihara test, 404
ISIKAWA, C., 190

JENKINS, M. T., **253**, 255
JÖRGENSEN, C. A., 55, 56, 75–77
JONES, D. F., 21–23, 200, 331, 463
JONES, S. V. H., 312
JOSENHAUS, W., 413
Journal of Genetics, 93

KAPPERT, H., 81
KARPECHENKO, G. D., 77
KAWAKAMI, R., 413–416
KAYSER, B., 419
KEEBLE, F., 19, 200
KELLEY, F. J., 312, 321, 327, 338
KIHARA, H., 110
KING, H. D., 23, 24, 34
KNAPP, A., 417
KOELREUTER, 200
KOLLMANN, 407
KOSTANECKI, V. K., 200
KROPP, L., 417
KULKARNI, C. G., **55**, 56
Kyoto Technical High School, 1

LARSEN, H., 405
Larvae, results of crosses of apparent reverse mutants derived from treated larvae, 574
LAVALLE, A., 336
Leber's disease, 412–414, 416–418
Lebistes, 4, 5, 10, 14
LEIGHTY, C. E., 138
LESLEY, M. M., 55, 115
LIETZE, MAX, 336
LINDSTROM, E. W., 55, 254, 255, 257, 259, 270, 272, 274, 276, 279, 280, 462, 463, 465, 492
Linkage determinations, reliability, 87
Linkage in man, sex, 401
Linkage intensities, 87, 97
  Backcross data, 97
  Backcross method, 85
  Complementary factors, 87, 93
  Duplicate factors, 87, 93, 98
  Efficiency of several different formulae, 82
  Formulae and tables for calculating, 81
  Probable error, 97
  Product method, **84**, 97
  Tables for calculating, 88
Linkage relations of genes causing yellow seedlings in maize, 253
Linkages calculated from backcrosses, comparative reliability, 85
Linkages calculated from F_2 data, comparative reliability, 85
LIVESAY, E. A., 17
LLOYD-JONES, ORREN, 325
Loci of the reverse mutations, tests of the, 554
LORBEER, G., 180, 181
LOSSEN, H., 410, 413, 415
LOUNSBURY, J. A., 151
LUTZ, ANNE, 56
LYELL, J.C., 313

MACAULAY, T.B.,464
MACKLIN, M. T., 415
MADLENER, M., 427
Maize, 254, **462**, 490–493
  Aleurone color, 269, 270
  Canada Flint, 464
  Chlorophyll defect
    Iojap, 255, 257
    Japonica, 257
  Chromosome map, 280
  Clarage Dent,465
  Clark Yellow Dent, 255
  Crosses, method of making, 466
  Crossing over, 262, 269, 272–277, 279–281
  Crossing various types of premature germination, 466
  Crossing various types of premature germination, F_3 progenies from various F_2 ratios, 481
  Crossing various types of premature germination, results in F_2, 467
  Crossover percentages, 262, 269–272, 275–278, 280, 281
  Description of characters, 463
  Dihybrid, 261

Maize (Continued)
Dormancy, **462**, 490, 493
Genes
Chlorophyll deficiency, 257
Dihybrid ratios, **257**, **258**, 259
Glossy, 263
Inheritance, 254, **255**, 261–263, 265, 273
Interactions, 254, **257**, 259
Linkage relations, **253**, 254, 257, **261**, 264, **268**, 271, 274
Luteus, 254
Ramosa, 263
Genotypes, 279
Germination, **462**–464
Germination, results of crossing various types of premature, 466
Gold Nugget flint corn, 463
Golden Bantam sweet corn, 463, 464
Green plants, 257
Green seedlings, 258–260, 262–265, 267, 268, 273, 278, 280
Inheritance of defective seeds, 478
Inheritance of dormancy in, 462
Inheritance of genes causing yellow seedlings, 253
Inheritance of premature germination, **462**, 468
Interactions of genes causing yellow seedlings **253**, 257
Iodent, 255
Iojap plants, 259
Iojap seedlings, 262, 263
Liguleless green seedlings, 265, 267, 268
Liguleless-pale-yellow-striped-yellow, 267, 268
Liguleless-white-iojap seedlings, 267, 268
Liguleless-white-striped-yellow seedlings, 267, 268
Liguleless-yellow-iojap seedlings, 267, 268
Liguleless yellow seedlings, 265, 267, 268
Linkage, 259, 260, 262–264, 267, 269, 270, 272, 273, 282
Linkage group, **265**, 266, 268, **274**, 281
Linkage relations of genes causing yellow seedlings, 253
Method of making crosses, 466
Non-iojap plants, 259
Non-yellow seedlings, 266, 267
Number of distinct forms of premature germination, 489
Origin of characters, 463
Origin of germinating seeds, 465
Pale-yellow-striped-yellow seedlings, 259, 267, 268
Parental genotype, 276–278
Peculiar origin of germinating seeds, 465
Premature germination in, 462
Number of distinct forms of, 489
Results of crossing various types of, 466
Reid's Yellow Dent, 465
Results of crossing various types of premature germination, 466
Sanford White flint, 464
Segregation of various types of premature germination, summary of 488
Striped-yellow seedlings, 262, 263
Tetrahybrid, 267
Trihybrid, 261, 262, 266, 267, 274, **279**, 280
Trihybrid ratios, 259, 260
White-iojap plants, 257, 268
White-iojap seedlings, 258–260, 267
White seedlings, 259, 277, 278, 492
White-striped-yellow seedlings, 258–260, 267, 268
Yellow Creole, 477
Yellow flint, 464
Yellow-iojap plants, 257
Yellow-iojap seedlings, 258, 259, 267, 268
Yellow seedlings, 254–**257**–260, 262–268, 273, 280, 281
Yellow seedlings, liguleless character, **264**
Man
Crossing over in, 426
Genetic traits
Albinism, 430
Defects of appendages, 430
Defects of eyes, 430
Eyecolor, 430
Huntington's chorea, 430
Review of sex-linked characters, 430
Sex, 457
Sex linkage, 401
Coloboma, 419, 432
Deficiency in sense of smell, 419, 432
Ichthyosis, 419, 432
Microphthalmia, 419, 432
Nomadism, 419, 432
Nystagmus, 419, 432
Short sighted, 428, 429
Toothlessness, 419
Wanderlust, 419, 432
Webbed toes, 419, 432
Sex-linked traits, 402
MANGELSDORF, P. C., **462**, 463, 468, 474, 478, 489
MANN, M. C., 55, 74
Marine Biological Laboratory, 349
MATIDA, J., 190
MATSUDA, H., 72
Mattiola, 55
MAVOR, J. W., 11, 206, 501
MCCLINTOCK, BARBARA, 492
MCCLUNG, C. E., 181
Megalocornia, 419, 432
MEISTER, N., 112
Mendel's law, 284
Mendelian factors, 492
Mendelian ratio, 467, 473, 481, 488, 493
MERZBACHER, L., 418, 432
Metazoa, 181
METZ, C. W., 240, 241, 301, 383
METZELAAR, JAN, 312, 336, 340
MEVES, F., 200
MEYERS, M. T., 465
Milvus ictinus, 314

Minnesota Agricultural Experiment Station, 81
MOHR, O. L., 501
MORAWITZ, 407
MORGAN, L. V., 205, 241, 242, 246, 247
MORGAN, T. H., 11, 139, 334, 348, 349, 357, 365, 368, 382, 389, 507, 515, 523, 524, 526, 532, 559
MOSES, M. S., 383
MOTT-SMITH, L. M., 307
MULLER, H. J., 142, 146, 148, 206, 234, 238–240, 245, 247, 248, 250, 283, 285, 286, 290, 296, 300, 302, 303, 307, 348–350, 368, 388, 390, 491, 495–501, 505, 507–509, 512, 526, 528, 529, 532, 552–554, 566
Multiple sclerosis, 402
Muscular atrophy, 402
Mutants derived from treated larvae, 5[illegible]
Mutations, 497–502, 504, 506, 507, 509, 510, 515, 519–521–524, 526–533, 536–538, 540–545, 546, 547, 549–551–554–557–559–564, 566, 567–574, 575
  From induced non-forked to forked, 559
  In opposite directions, 526
  Of forked by X-rays, 545
  Of forked, radiation as the cause of the reverse, 557
  Produced by X-rays, background of the problem, 495
  Progressive, 574
  Progressive, produced by X-rays, 495
  Reverse, 546, 548–551–554, 555, 557–560, 564–566–568, 570, 572, 574, 575
    At the locus of forked, 540
    From treated larval stages, 546
    In eye color, 566
    Induced in spermatozoa, 551
  Tests of the loci of the reverse, 554
  Two scute, 567
  Viability of induced, 564
  Visibly different from a known loss of the same locus, 521
Myopia, 402, 418, 428, 432

NÄGELI, CARL WILHELM VON, frontispiece
Nagel anomaloscope, 404
Nagel cards, 406
NASSE, F., 410, 413, 415
National Research Council of Canada, 99
NAWASCHIN, M., 114, 134, 135
NESS, M. M., 447, 452
NETTLESHIP, 406, 428
NEUMEISTER, 313
Neuritis, 412
NEVINS, BEATRICE I., 151
NEWCOMB, SIMON, 446
NEWMAN, H. H., 428, 432
NEWTON, D. E., 181
New York University, 205
Nicotiana, 55, 75, 76, 112, 137
  glauca, 137
  purpurea, 55, 74
  sylvestris, 55
  Tabacum, 55, 74, 137
Nicotiana (Continued)
  Tabacum var. Cuba, 55
Night blindness, 402, 418, 428, 432
NILSSON-EHLE, H., 480, 490
NITZSCH, 328
NOLF, 407
Non-forked to forked, mutations from induced, 559

Oenothera, 55, 61, 63, 74–77, 180
  Apomixis, 55, 56
  biennis, 56
  franciscana, 56–63, 72, 78, 79
    Broad-leaved dwarf, 78
    Cytology and genetics of a haploid sport from, 55
    Cytology of the haploid, 62
    Genetics of the haploid, 56
    Light green, 60, 78
    Pointed tips, 56–62, 72, 78
    Red elongate, 58, 78
  sulfurea, 60, 78
    Dwarf, 60, 78
  gigas, 56
  Hookeri, 61, 62, 79
  Lamarckiana, 56
    Hormones, 56
  lata, 56
  muricata, 56
  Parthenocarpy, 56
  sulfurea, 60
  venusta, 61
OLIVER, C. P., 302, 303, 498, 511, 515, 546
Optic nerve atrophy, 402, 412, 413, 415, 430, 432
Optic nerve atrophy, hereditary, 412–414, 416–418
Optic nerve atrophy, inheritance of, 417
Opticus atrophy, 415, 416, 418, 431, 432
Opticus atrophy, hereditary, 412, 413, 418
OSWALD, AGNES, 419
OWEN, F. V., 82–84, 262

PAGENSTECHER (Cases cited from BELL), 428
Pagrus tumifrons, 16
PAINTER, T. S., 142, 144, 146, 148, 240, 245, 247, 248, 250, 283, 348, 349, 368, 388, 390, 496
PAPANICOLAOU, G. N., 200
PARSONS, J. H., 406
Parthenocarpy, Oenothera, 56
PATTERSON, J. T., 141–143, 342, 495, 503, 509, 529–532, 540, 546, 550, 566
PEARSON, K., 446–448, 452–454
Pedigrees
  CUNIER-TRUC-NETTLESHIP, 418
    NOUGARET family, 418
  MORTON, 418
  NETTLESHIP, 418
  TENNA family, 410
Pelizaeus-Merzbacher disease, 402, 418, 432
PELLEW, C., 19, 200
Petunia, 72

Petunia violacea, 199
PFLÜGER, 428
Pigeons, 312, 318, 319, 322–327, 329, 331–333, 335, 336, 340, 343, 344
  Almond Tumbler, 313
  Archangel, 313–316, **331**, 333–340, 343, 344
    Crest, 316, 332, **336**, 343
    Dark bronze, 316, **338**–340, 344
    Dark bronze and light bronze, 338
    Effect of *A* in combination with the Archangel pattern, 338
    Inheritance of the crest, 336, 343
    Light bronze, 316, **338**–341, 344
    Relationship of the pattern to black, 331
    Relationship of the pattern to red, 337
  Black feathers, 313, **341**, 343, 344
  Black feathers in recessive reds, 341
  Brander, 313
  Bronze Tippler, 313
  Clumped, 325, 336, 344
  Color patterns
    Black, **312**, 318–321, 323, 325–333, 335, 336, 338–341, 343, 344
    Black blue-tail, 312
    Blue, 318, 326
    Blue barless, 312
    Blue barred, 312, 324, 325
    Check, 312
    Chocolate, 341
    Dun, **324**, 326, 330, 335, 336, 340, 344
    Recessive black, 322
    Red, **312**, 319, 321, 323, 324, 326, 328, 337, 338, 340, 343
    Silver, 324, 326, 336
    Sooty, 312, 330
    Yellow, **324**, 326, 338, 340, 344
    Yellow bar, 338, 340
  Description of patterns, 313
  Fire, 313
  Inheritance in, **312**, 313
  Inheritance of black color patterns in, **312**, 313
  Inheritance of red color patterns in, **312**, 313
  Kitiness, 312–314, **316**–331, 338, 343
    Pattern genes, effect of *A* and *K* in combination, 327
    Relationship to black, 316
    Relationship to recessive red, 321
    Relationship to red and blue, 325
    Relationship to yellow and dun, 324
    Variability of the pattern, 327
  Norwegian Petent, inheritance of Rundkappe, 337
  Pterylosis, 328
  Recessive red, 317, 322, 326, 327, 329, **337**, **341**, 343, 344
  Recessive yellow, 326
  Red Carneau, 337
  Red Crested Helmet, 337
  Somatic mutation, 344
PINCUS, GREGOR, 49, 341
Pisum sativum, 19
Plecoglossus altivelis, 16
PLOUGH, H. H., 205, 206, 237, 238
PLUNKET, C. R., 301, 365
Polyclady and tuftedness, interrelations, 182
Premature germination in maize, **462**–468, 471, 473, 474, 477, 478, 481, 487, **489**–493
  Inheritance of, **462**, 468
Progressive mutations, 495
Protanomals, 403–405
Protanopia, 402
Protanops, 403–405
Pseudo-hypertrophic, muscular paralysis, 419, 432
PUNNETT, R.C., 81, 334
Punnett square, 277
Purpuras, 407, 408, 411
  Haemorrhagica, 408
  Thrombopenic, 408, 409

Rabbit, black, 341
Radiation as the cause of the reverse mutations of forked, 557
Raphanus, 77
Rats, 24, 25, 31, 33–35, 43, 44, 48–54
  Heterosis, **17**, 18, 20–23, 26, 53
  Hybrid vigor, **17**, 18, 20–24, 53
  Hypotheses advanced as an explanation of hybrid vigor, 17
Rattus Norvegicus, 24, 49
  Agouti, 45, 48
  Albinism, 45
  Average weights, 25
  Chromogen, 45
  Correlation between litter size and weight, 51
  Experimental study of hybrid vigor, 23
  Frequency polygons, **31**, 33–35
  Genes not linked with growth genes, 43
  Grouping of the heavy weight and light weight rats, 48
  Growth curves, **26**, 34
  Heterosis, **17**, 18, 20–23, 26, 53
  Hybrid vigor, **17**, 18, 20–24, 53
  Non-agouti, 48
  Statistical study at ninety days of age, 34
  Various gene combinations, 51
REDFIELD, HELEN, **205**, 365
Red-green color-blindness, 402, 403, 430, 432
  Anatomical basis of, 405
  Inheritance of, 405
REID, D. H., 313
REILLY, I. F., 151
RENNER, O., 61
Repository of family histories, need of, **431**, 432
Rice Institute, 283
RICHARDSON, DALTON, 503
ROSENBERG, O., 76, 77
RUTTLE, MABEL L., 55
Rye, 138
RYI, D., 198

SAENGER, A., 412

SAFIR, S. R., 11, **526**
SAHLI-TONIO, 407
SANDO, W. J., 138
SAX, K., 100, 108, 137
SCHIÖTZ, I., 404
SCHULTZ, 209
SCHULTZ, J., 379
SCHULTZ, W , 407
Scute mutations, 567
SEREBROVSKY, A. S., 498, 512
SETTLES, F., 553
Sex determination, 445
Sex in man, 457
Sex inheritance, 445
Sex linkage, 445
Sex linkage in man, 401
Sex-linked characters in man, 430
Sex-linked traits, **418**, 431
  In man, 402
Sex of children of the same family, equivalent probability intra-class correlation between the, 453
Sex of human siblings
  Correlation, **445**, 448
  Correlation between the sex of two consecutive children of the same mother, 452
  Correlation coefficient, 447, 448
  Data analyzed and results, 449
  Equivalent probability intra-class correlation between the sex of children of the same family, 453
  Expression of deviation of observed from theoretical distribution in terms of difference in variability, 451
  Frequency distribution of character sex, 448, **449**
  Frequency distribution of number of male children per family, **449**
  Theoretical distribution of character sex, 448, **450**
Sex of two consecutive children of the same mother, correlation between the, 452
SHEPPARD, W. F., 452
SHULL, A. F., 20
SHULL, G. H., 18, 19, 200, 491
Siblings
  Correlation between the sex of human, **445**, 448
  Correlation between the sex of human, the correlation in the general population, 445
Silkworms (See *Bombyx mori*)
  Obtained from crossing two variants bred under different environments, vigor of, 194
  Produced from ovarian transplantation between different breeds, vigor of, 190
  Vigor, **189**, 190
SINGLETON, W. R., 463
SIRKS, M. J., 467, 492
SLEPKOV, V. N., 512
SMITH, T. B., 426
SOBOTTA, J., 200
Solanum, 56, 75, 76
Solanum luteum, 55, 76
Solanum nigrum, 55, 76
Solanum nigrum gracile, 55
SPENCER, W. P., 532
Spermatophytes, 462
Sphaerocarpos, 150, 158, 172, 180
  Character
    Appendiculate, 173, **175**, 188
    Cupulate, 171, 172, 188
    Little-tufted, **160**–162, 164, 167, 171, **172**
    Much-tufted, **154**, **164**, 167, 169–172, 186
    Nonpolycladous, 159, **174**–**176**–179, 181–183, 185, 187
    Nontufted, **154**–**157**–165, 167, 170–**175**, **176**, 179, 183, 185, 186
    Polycladous, 155, 159, 165, 166, **173**–**176**–179, 181–183, 185, 187, 188
    Semisterile, 171, 172
    Tufted, **151**, **154**, **156**, **157**, 159, 160, 162, 163, **165**, 172–**175**, **176**, 179, 183, 185–188
  Cupulateness, 172
  Donnellii, 151, 181
  Dwarf, 188
  Gametophyte, 151, 153, 154, 158, 170, 172, 173
  Inheritance in, **150**, 172, 187
    Of tuftedness, 187
  Linkage, 187
  Mutation, 167
  Nonpolyclady, 180
  Polyclady, **150**, 167, 173, 179, 180, **182**, 185, 187, 188
  Semisterility, 172
  Sporeling, 153, 154, 156, 157, 160–165, 174–178, 183
  Sporophyte, 154, 156, 157, 160–165, 171, 174–178
  Tetrad, 153–165, 170, 171, 174–177, 179–181, 183, 185, 187, 188
  Tuftedness, **150**–153, 155, 158, 159, 161, 164, 167, 169–173, 179, **182**, 185, 187, 188
Sport from *Oenothera franciscana*, cytology and genetics of a haploid, 55
SPRITZER, IRWIN, 248
STAPLES-BROWNE, R., 312, 337
STERNE, CURT, 206, 283, 289
STEVENSON, F. J., 138
STEWART, G., 492
Stilling plates, 419, 424, 425
Stilling test, 406, 420–423, 425
STOCKARD, C. R., 200
Stockholm Botanical Garden, 134, 135
STRANSKY, E., 407, 409
STURTEVANT, A. H., 139, 205–207, 246, 247, 299, 301, 334, 348, 349, 357, 365, 368, 381, 382, 389, 499, 507, 515, 524–526, 529, 532, 556, 559
Suigen Sericultural Experiment Station, 189
SVENSON, H. K., 206

TCHETVERIKOFF, 523

Texas Agricultural and Mechanical College, 312
Texas Agricultural Experiment Station, **462**, 463
THOMPSON, W. P., **99**, 100, 108, 138, 139
TIMOFEEFF-RESSOVSKY, N. W., 343, 526, 529, 532, 566, 568
TJUMJAKOFF, N. A., 112
TODD, T. W., 425
Tokyo Imperial Sericultural Experiment Station, 191
Tomato, 492
  Inheritance of size of fruit 492
TOYAMA, K., 189
Treasury of Human Inheritance, 428, 429
Triticum, 55
  compactum humboldtii, 75
  dicoccoides, 109
  dicoccum, 101–104, 106
  durum, 101, 102, 104, 106
  monococcum, 111
  persicum, 103, 104, 106
  vulgare, 100–102, 104–113, 137
    Amby, 137
    Bluestem, 137
    Marquis, 137
TSCHERNING, R., 419
Tuftedness and polyclady, interrelations, 182

UMEYA, YOSITIRO, 189
United States Department of Agriculture, 253
University of California, 115
University of Michigan, 55
University of Minnesota, 81, 445
University of Saskatchewan, 99
University of Texas, 141, 283, 495
University of Wisconsin, **150**, 312, 313, 332
Upsala Botanical Garden, 134
USHER, C. H., 415
UZZELL, 429
VAN DER STRICHTO, 200
VENDÉMIAN, 418
Viability of the induced reverse mutations, 564
VIERORDT, 407
Vision, achromatic, 402
Vision, dichromatic, 402
Vision, trichromatic, 403
VRIES, DE, HUGO, 61

WAALER, G. H. M., 404, 405
WAARDENBURG, P. J., 417, 418
WALLACE, E. M., 349
WARREN, D. C., 492
WATANABE, 195
WATKINS, A. E., 100
WEINSTEIN, A., 348, 496
WEISMANN, 200
WELLENSIEK, S. J., 82
WESLEY, O. C., 151
West Virginia Agricultural Experiment Station, 23
West Virginia University, 17
Western Reserve University, 425
Wheat, 111, 138, 139, 492
  Awns, inheritance of, 492
  Backcrosses, 103, 107, 108, 110–112
  Chromosome numbers, **105**, 106, 108
  Cytological causes of shrivelled endosperm in, 99
  Diploid, 110, 112, 113
  Direct crosses, 100, 109
  Endosperm conditions, **105**, 106, 113
  Endosperm conditions in relation to crossing, 104
  Genetical effects of shrivelled endosperm in, 99
  Haploid, 110, 112
  Inheritance of awns, 492
  Shrivelled endosperm, 99, 100, 110, 111
    Diploid, 110, 112, 113
    Haploid, 110, 112
  Shrivelling, 104, 105, 107, 108, 110, 113
  Species crosses, 99
  Triploid, 110, 112, 113
  Wrinkling, 105, 107
Wheat-rye hybrid, 138
WIERZEJSKI, A., 200
WILBRAND, H., 412
WINGE, O., 4, 5, 14, 77
Wistar Institute, 24
WÖHLISCH, 407
WOLFSON, A. M., 172, 173
Wood-alcohol blindness, 412
WOODWORTH, C. M., 81
WOOLRIDGE, 407
WORTH, C., 419
WRIEDT, CHR., 312, 337
WRIGHT, SEWALL, 22, 343, 499
WYCKOFF, C. W., 425, 426

X-rays, 495–502, 505–507, 509, 531, 532, 540, **545**, 547, 554, 564–566, 571, 572, 574
  Effect on chromatin, evidence concerning the duality of, 498
  Genetics, 495
  Induction of reverse mutations of forked, 545
  Mutations, 495
  Progressive mutations produced by, 495
  Separation of genetic effects, 501

YASUDA, S., 199
YULE, G. U., 81, 262

Zeiss apochromatic objective, 64